





# FLOOD CONTROL DISTRICT OF MARICOPA COUNTY

IN COOPERATION WITH  
MARICOPA COUNTY DEPARTMENT OF TRANSPORTATION  
PLANS FOR THE CONSTRUCTION OF  
REEMS ROAD CHANNEL AND BASIN  
FCD PROJECT CONTROL NO. 4701231  
FCD CONTRACT NO.

60%  
DRAFT



MARICOPA COUNTY DEPARTMENT  
OF TRANSPORTATION

DATE

60% SUBMITTAL

FLOOD CONTROL DISTRICT OF MARICOPA COUNTY

RECOMMENDED BY:

PROJECT MANAGER

DATE

ISSUED FOR PUBLIC BIDDING BY:

CHIEF ENGINEER AND  
GENERAL MANAGER

DATE


THE FLOOD CONTROL DISTRICT

ANDY KUNASEK - CHAIRMAN

DISTRICT 1 FULTON BROCK  
DISTRICT 2 DON STAPLEY  
DISTRICT 3 ANDY KUNASEK  
DISTRICT 4 MAX WILSON  
DISTRICT 5 MARY ROSE WILCOX

## GENERAL NOTES

1. ALL CONSTRUCTION TO BE PERFORMED ACCORDING TO APPLICABLE MAG STANDARD DETAILS AND MAG SPECIFICATIONS, DATED 1998 AND REVISIONS THROUGH 2004
2. FACILITIES WHICH ARE NOT SPECIFICALLY LOCATED WITH ACTUAL HORIZONTAL AND VERTICAL CONTROLS ARE APPROXIMATE AND TO THE BEST AVAILABLE INFORMATION.
3. EXISTING UTILITIES AND OTHER FACILITIES HAVE BEEN PLACED ON THE PLANS FROM FIELD SURVEYS, EXISTING MAPS AND OTHER CURRENT PLANS WITHIN THE AREA OF THIS PROJECT. THE CONTRACTOR WILL DETERMINE THE EXACT LOCATION AND/OR ELEVATION OF EXISTING UTILITIES WHICH PERTAIN TO AND AFFECT THE CONSTRUCTION OF THIS PROJECT.
4. TWO (2) WORKING DAYS PRIOR TO EXCAVATING, THE CONTRACTOR SHALL CALL FOR BLUE STAKE AT THE BLUE STAKE CENTER (PHONE: 1-800-STAKEIT)
5. THE CONTRACTOR SHALL OBTAIN ALL NECESSARY PERMITS PRIOR TO CONSTRUCTION
6. THE FLOOD CONTROL DISTRICT IS NOT RESPONSIBLE FOR LIABILITY ACCRUED DUE TO DELAYS AND/OR DAMAGE TO UTILITIES IN CONJUNCTION WITH THIS CONSTRUCTION
7. ANY WORK PERFORMED WITHOUT THE APPROVAL OF THE FLOOD CONTROL DISTRICT AND/OR THE ENGINEER AND ALL WORK AND MATERIALS NOT IN CONFORMANCE WITH THE SPECIFICATIONS IS SUBJECT TO REMOVAL AND REPLACEMENT AT THE CONTRACTOR'S EXPENSE
8. THE ENGINEER WILL DETERMINE THE NUMBER AND LOCATION OF THE REQUIRED COMPACTION TESTS FOR STRUCTURAL BACKFILL
9. TRAFFIC CONTROL SHALL BE MAINTAINED IN ACCORDANCE WITH MAG SPECIFICATION 401, PART VI OF THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (1988 EDITION), INCLUDING REVISION 3 DATED SEPTEMBER 3, 1993
10. CONTRACTOR SHALL REPLACE PAVEMENT TO THE EXISTING GRADES SHOWN ON THE PLANS
11. EXACT POINT OF MATCHING TERMINATION AND OVERLAY WILL BE DETERMINED IN THE FIELD BY THE ENGINEER
12. NO JOB WILL BE CONSIDERED COMPLETED UNTIL CURBS, PAVEMENT AND SIDEWALKS HAVE BEEN SWEEPED CLEAN OF ALL DIRT AND DEBRIS
13. PRIOR TO FINAL APPROVAL AND ACCEPTANCE OF THE WORK, THE CONTRACTOR WILL BE REQUIRED TO CLEAN ADJACENT (OFF-PROJECT) ROADWAYS USED DURING THE COURSE OF CONSTRUCTION
14. ALL COMPACTION AND BACKFILL WITHIN COUNTY RIGHT-OF-WAY SHALL CONFORM TO THE SPECIAL PROVISIONS FOR CONSTRUCTION OF STREET IMPROVEMENTS AND INSTALLATION OF UNDERGROUND UTILITIES. BACKFILL UNDER ANY EXISTING OR PROPOSED PAVEMENT, CURB, GUTTER OR WITHIN TWO FEET (2') OR LESS FROM THE EDGE OF PAVEMENT SHALL CONSIST OF AGGREGATE BASE COURSE (ABC) MATERIAL.



### DESIGN DISCHARGES

Design Q = 2,179 CFS STA 75+00 To STA 87+00  
Design Q = 639 CFS STA 50+00 To STA 75+00  
Design Q = 818 CFS STA 7+00 To STA 50+00

### PROJECT BENCHMARKS

FD BC IN HH OLIVE AVENUE AND REEMS ROAD  
ELEV = 1126.15

TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE

## STRUCTURAL NOTES

1. ALL CONSTRUCTION SHALL CONFORM TO MAG STANDARDS DETAILS, SPECIFICATIONS, DATED 1998, INCLUDING ALL REVISIONS THRU 2004
2. DESIGN IS IN ACCORDANCE WITH AASHTO STANDARD SPECIFICATIONS FOR HIGHWAY BRIDGES, DIVISION 1, 17TH EDITION, 2002.
3. REINFORCING STEEL SHALL CONFORM TO ASTM SPECIFICATION A615 GRADE 60
4. STRESSES -  $f_s = 24,000$  PSI - GRADE 60 REINFORCING STEEL.
5. ALL REINFORCING STEEL PLACEMENT DIMENSIONS SHALL BE TO THE CENTER OF BARS UNLESS OTHERWISE NOTED.
6. ALL REINFORCING STEEL SHALL HAVE 2" CLEAR COVER UNLESS OTHERWISE NOTED
7. STRUCTURAL STEEL SHALL CONFORM TO ASTM SPECIFICATION A36.
8. ALL WELDING SHALL CONFORM TO THE REQUIREMENTS OF THE AMERICAN WELDING SOCIETY, STRUCTURAL WELDING CODE, REVISION 1995
9. DIMENSIONS SHALL NOT BE SCALED FROM DRAWING
10. CHAMFER ALL EXPOSED CORNERS 3/4" UNLESS OTHERWISE NOTED
11. CONCRETE COMPRESSIVE STRENGTH SHALL BE 3,000 PSI MAG, UNLESS OTHERWISE NOTED

## UTILITY NOTIFICATION

COMPANY	CONTACT NAME	PHONE NUMBER
APS	BOBBY GARZA	(602) 371-7989
BURLINGTON NORTHERN RAILROAD	COLLEEN DEINES	(909) 386-4472
COX COMMUNICATIONS	CARL MCKAY	(623) 328-3528
FALCON DUNES GOLF CLUB	CHRIS BOWLES	(623) 535-8355
LUKE AIR FORCE BASE	ZANE HOLT	(623) 856-7634
MARICOPA WATER DISTRICT	GLEN VORTHERMS	(623) 546-8266
QWEST COMMUNICATIONS	MATT PHILLIPS	(602) 630-1393
SOUTHWEST GAS	VIVIAN HUNSAKER	(602) 484-5277


## INDEX OF SHEETS

DRAWING NO.	TITLE	SHEET NO.
G1	COVER SHEET & VICINITY MAP	1
G2	GENERAL NOTES & INDEX OF SHEETS	2
G3	LEGEND SHEET	3
G4	HORIZONTAL & VERTICAL CONTROL	4
G5-G6	CST @ GEOMETRIC LAYOUT	5-6
G7-G8	TOP OF BANK GEOMETRIC LAYOUT	7-8
G9	BASIN R/W LAYOUT	9
G10	TYPICAL SECTION	10
QS1	QUANTITY SUMMARY	11
D1-D6	DETAIL SHEETS	12-17
C1-C9	CIVIL/CONSTRUCTION SHEETS	18-26
GB1	BASIN GRADING PLAN	27
IR1 & IR2	IRRIGATION SIPHON PLAN & PROFILE SHEETS	28-29
B1-B5	BOX CULVERT DETAILS	30-35
XS1-XS5	CROSS SECTION SHEETS	36-40

## ABBREVIATIONS


CST	CONSTRUCTION
DBI	DOUBLE
DESC	DESCRIPTION
EQ	EQUAL
FOC	FIBER OPTIC CABLE
G	GUTTER ELEVATION
OP	OVERHEAD ELECTRIC
P	PAVEMENT ELEVATION
PG	PAGE
P/L	PROPERTY LINE
PRV	PRIVATE
SPG	SPACING
STR	STRUCTURE
UGT	UNDERGROUND TELE CABLE
TBM	TEMPORARY BENCHMARK
TC	TOP OF CURB ELEVATION
TW	TOP OF WALL ELEVATION
TG	TOP OF GRATE ELEVATION

## 60% SUBMITTAL


3			
2			
1			
NO.	REVISION	BY	DATE
 FLOOD CONTROL DISTRICT OF MARICOPA COUNTY ENGINEERING DIVISION			
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING	DESIGNED	JRR	06/05
	DRAWN	FRC	06/05
	CHECKED	MAL	06/05
DRAWING NO. G2	GENERAL NOTES INDEX OF SHEETS		SHEET OF 2 40

## LEGEND SHEET


## SYMBOLS




## SYMBOLS




## LINESTYLES




## LINESTYLES



60% SUBMITTAL

3			
2			
1			
NO.	REVISION	BY	DATE
 <p>FLOOD CONTROL DISTRICT OF MARICOPA COUNTY ENGINEERING DIVISION</p>			
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING		BY	DATE
	DESIGNED	JRR	06/05
	DRAWN	FRC	06/05
	CHECKED	MAL	06/05
DRAWING NO. G3		LEGEND SHEET SYMBOLS AND LINESYLES	SHEET OF 3 40




NO.	NORTHING	EASTING	ELEVATION	DESCRIPTION
100	928,594.4431	552,079.255	1116.13	ACF Northern/Alsup
101	928561.2808	554,719.1557	1104.60	BCH Reems/Northern
102	931,191.1991	554,722.8032	1113.72	BCH Reems
106	936,458.7388	554,723.4042	1135.00	BCH Reems
5	933,867.4815	552,088.1912	1136.76	ACF Olive
▲ 6	933,823.3808	554,723.5052	1126.15	BCH Olive/Reems
10	939,094.1699	554,722.9902	1145.13	Peoria/Reems
12	939,042.1081	557,358.3472	1144.53	ACF Peoria
15	939,143.9484	552,083.1255	1156.86	End AC-1.10
16	933,772.5091	557,363.0868	1118.71	ACH Olive
17	928,516.1509	557,361.2716	1100.13	BCH Northern/151 Align

▲ Project Benchmark

60% SUBMITTAL


3			
2			
1			
NO.	REVISION	BY	DATE
 FLOOD CONTROL DISTRICT OF MARICOPA COUNTY ENGINEERING DIVISION			
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING	DESIGNED	JRR	08/05
	DRAWN	FRC	05/05
	CHECKED	MAL	06/05
DRAWING NO. G4	HORIZONTAL & VERTICAL CONTROL		SHEET OF 4 40



PT #	DESC	STATION	NORTHING	EASTING
200	POB	5+00.00	931,103.46	555,014.14
201	PC	12+96.22	931,504.74	554,557.68
202	PT	13+72.44	931,580.65	554,551.72
203	PC	13+96.26	931,604.19	554,548.05
204	PT	14+62.22	931,669.65	554,540.05
205	PC	15+48.59	931,755.68	554,532.40
206	PT	16+35.98	931,842.96	554,532.29
207	PC	16+57.04	931,863.94	554,534.10
208	PT	16+78.46	931,885.20	554,536.70
209	PC	18+12.20	932,017.28	554,557.68
210	PT	18+73.24	932,077.82	554,565.41
211	PC	19+23.20	932,127.55	554,570.23
212	PT	20+31.75	932,235.88	554,568.92
213	PC	21+63.72	932,366.89	554,553.04
214	PT	22+70.39	932,473.24	554,554.39
215	PC	22+92.04	932,494.65	554,557.54
216	PT	23+07.69	932,510.25	554,558.60
217	PC	24+37.06	932,639.62	554,558.53
218	PT	25+23.41	932,725.48	554,566.63
219	PC	25+63.19	932,764.61	554,573.76
220	PT	26+46.41	932,847.45	554,580.10
221	PC	28+29.94	933,030.90	554,575.01
222	PT	29+26.79	933,126.85	554,563.00
223	PC	30+59.54	933,256.36	554,533.85
224	PT	31+27.51	933,323.79	554,526.53
225	PC	31+45.80	933,342.08	554,526.63
226	PT	31+80.31	933,376.46	554,529.18
227	PC	32+15.74	933,411.53	554,534.24

PT #	DESC	STATION	NORTHING	EASTING
228	PT	32+67.04	933,461.21	554,546.70
229	PC	33+01.03	933,493.16	554,558.31
230	PT	33+60.94	933,551.67	554,570.09
231	PC	33+81.09	933,571.79	554,571.07
232	PT	34+13.43	933,604.08	554,570.04
233	PC	34+97.44	933,687.56	554,560.58
234	PT	35+27.97	933,718.02	554,558.69
235	PC	37+73.02	933,963.06	554,558.16
236	PT	38+23.64	934,013.15	554,564.49
237	PC	38+67.07	934,055.21	554,575.32
238	PT	39+26.05	934,113.40	554,584.34
239	PC	39+44.57	934,131.89	554,585.37
240	PT	40+16.85	934,203.21	554,576.39
241	PC	40+49.96	934,234.78	554,566.42
242	PT	41+47.82	934,330.39	554,546.24
243	PC	42+22.94	934,405.05	554,537.98
244	PT	42+89.83	934,471.82	554,535.09
245	PC	43+19.61	934,501.60	554,535.80
246	PT	43+76.41	934,557.91	554,542.49
247	PC	44+19.65	934,600.18	554,551.63
248	PT	44+94.91	934,674.27	554,564.75
249	PC	45+28.77	934,707.81	554,569.40
250	PT	46+26.97	934,805.54	554,566.86
251	PC	47+71.20	934,947.19	554,539.67
252	PT	48+57.43	935,032.72	554,541.89
253	PC	48+98.15	935,072.26	554,551.63
254	PT	49+29.09	935,102.75	554,556.68
255	PC	50+88.61	935,262.24	554,558.01

CV #	LENGTH	DELTA ANGLE	RADIUS	TANGENT
C1	76.22	8°44'05"	500.00	38.19
C2	65.96	3°46'45"	1000.00	32.99
C3	87.39	10°00'50"	500.00	43.80
C4	21.42	4°05'27"	300.00	10.71
C5	61.04	3°29'50"	1000.00	30.53
C6	108.55	12°26'20"	500.00	54.49
C7	106.67	15°16'44"	400.00	53.65
C8	15.64	8°58'06"	100.00	7.84
C9	86.35	9°53'41"	500.00	43.28
C10	83.23	11°55'17"	400.00	41.76
C11	96.85	11°05'53"	500.00	48.58
C12	67.97	12°58'55"	300.00	34.13
C13	34.50	7°54'28"	250.00	17.28
C14	51.31	11°45'31"	250.00	25.74
C15	59.91	17°09'47"	200.00	30.18
C16	32.34	9°15'51"	200.00	16.20
C17	30.53	5°49'52"	300.00	15.28
C18	50.63	14°30'12"	200.00	25.45
C19	58.98	11°15'51"	300.00	29.58
C20	72.28	20°42'19"	200.00	36.54
C21	97.86	11°12'52"	500.00	49.09
C22	66.88	7°39'52"	500.00	33.49
C23	56.80	10°50'50"	300.00	28.48
C24	75.26	4°18'44"	1000.00	37.65
C25	98.20	18°45'15"	300.00	49.54
C26	86.23	24°42'11"	200.00	43.80
C27	30.94	8°51'45"	200.00	15.50
C28	77.32	8°51'38"	500.00	38.74




C# Drawing Sheet Number

TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE

60% SUBMITTAL

3			
2			
1			
NO.	REVISION	BY	DATE
 FLOOD CONTROL DISTRICT OF MARICOPA COUNTY ENGINEERING DIVISION			
<b>REEMS ROAD CHANNEL AND BASIN</b>			
<b>FCD PROJECT NO. 470-12-31</b>			
PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING	DESIGNED	JRR	06/05
	DRAWN	FRC	06/05
	CHECKED	MAL	06/05
DRAWING NO. G5	CST & GEOMETRIC LAYOUT STA 5+00 TO STA 51+00		SHEET OF 5 40



PT #	DESC	STATION	NORTHING	EASTING
256	PT	51+65.93	935,339.22	554,551.58
257	PC	52+24.21	935,396.74	554,542.25
258	PT	53+54.34	935,526.45	554,538.27
259	PC	54+38.58	935,610.27	554,546.64
260	PT	55+66.28	935,736.20	554,532.31
261	PC	57+18.37	935,880.27	554,483.58
262	PT	53+03.00	935,961.49	554,459.89
263	PC	59+52.72	936,106.86	554,424.08
264	PT	60+75.67	936,228.12	554,404.56
265	PC	61+10.72	936,263.06	554,401.85
266	PT	61+87.40	936,339.61	554,403.25
267	PC	62+21.10	936,373.09	554,407.08
268	PT	62+60.71	936,412.22	554,413.15
269	PC	64+07.02	936,555.81	554,441.26
270	PT	65+63.00	936,705.01	554,485.91
271	PC	66+26.74	936,764.00	554,510.05
272	PT	66+86.11	936,820.15	554,529.21
273	PC	67+30.53	936,862.97	554,541.05
274	PT	68+08.28	936,939.84	554,541.85
275	PC	68+38.66	936,969.29	554,534.37


PT #	DESC	STATION	NORTHING	EASTING
276	PT	68+86.06	937,014.12	554,519.13
277	PC	70+96.52	937,207.41	554,435.88
278	PT	71+50.01	937,258.77	554,421.50
279	PC	73+16.19	937,423.34	554,398.44
280	PT	73+87.31	937,494.04	554,401.16
281	PC	74+66.99	937,571.86	554,418.27
282	PT	75+78.45	937,677.16	554,454.08
283	PC	76+91.27	937,779.27	554,502.07
284	PT	77+76.97	937,862.17	554,521.05
285	PC	78+57.21	937,942.41	554,521.92
286	PT	78+76.90	937,961.99	554,520.20
287	PC	79+91.05	938,074.17	554,499.08
288	PT	81+17.18	938,199.74	554,491.55
289	PC	82+53.63	938,335.89	554,500.57
290	PT	83+88.70	938,470.85	554,500.39
291	PC	84+87.07	938,568.99	554,493.63
292	PT	85+74.38	938,655.74	554,500.29
293	PC	87+64.48	938,841.17	554,542.18
294	PT	88+33.66	938,909.80	554,549.54
295	POE	90+18.01	939,094.14	554,547.99

CV #	LENGTH	DELTA ANGLE	RADIUS	TANGENT
C29	130.13	14°54'43"	500.00	65.44
C30	127.70	24°23'18"	300.00	64.83
C31	84.63	4°50'56"	1000.00	42.34
C32	122.95	9°23'34"	750.00	61.61
C33	76.69	10°59'05"	400.00	38.46
C34	39.61	4°32'18"	500.00	19.81
C35	155.98	11°10'18"	800.00	78.24
C36	59.36	6°48'10"	500.00	29.72
C37	77.74	28°41'47"	150.00	39.77
C38	47.40	9°03'09"	300.00	23.75
C39	53.50	15°19'33"	200.00	26.91
C40	71.12	20°22'29"	200.00	35.94
C41	111.46	12°46'19"	500.00	55.96
C42	85.70	24°33'02"	200.00	43.52
C43	19.69	11°16'47"	100.00	9.88
C44	126.13	14°27'14"	500.00	63.40
C45	135.07	7°44'19"	1000.00	67.64
C46	87.31	16°40'28"	300.00	43.96
C47	69.17	13°12'39"	300.00	34.74

TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE


60% SUBMITTAL

3			
2			
1			
NO.	REVISION	BY	DATE
FLOOD CONTROL DISTRICT OF MARICOPA COUNTY ENGINEERING DIVISION			
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING	DESIGNED	JRR	06/05
	DRAWN	FRC	06/05
	CHECKED	MAL	06/05
DRAWING NO. G6	CST & GEOMETRIC LAYOUT STA 51+00 TO POE		SHEET OF 6 40



PT #	DESC	NORTHING	EASTING	RADIUS
600	POB	931,446.38	554,508.59	
601	PI	931,474.79	554,498.82	200.00
602	PI	931,619.65	554,481.03	1000.00
603	PI	931,810.31	554,478.23	2000.00
604	PI	932,062.04	554,487.98	250.00
605	PI	932,158.83	554,520.35	150.00
606	PI	932,303.69	554,485.10	400.00
607	PI	932,426.45	554,491.23	300.00
608	PI	932,508.65	554,508.36	0
609	PI	932,603.80	554,508.27	0
610	PI	932,704.73	554,487.98	300.00
611	PI	932,884.23	554,524.82	500.00
612	PI	933,034.83	554,521.57	500.00
613	PI	933,244.40	554,479.77	800.00
614	PI	933,441.96	554,461.03	3000.00
615	PI	933,663.62	554,469.79	200.00
616	PI	933,723.09	554,508.23	0
617	PI	933,949.06	554,508.30	0
618	PI	934,023.34	554,503.15	200.00
619	PI	934,108.94	554,528.07	100.00
620	PI	934,280.22	554,479.77	500.00
621	PI	934,567.88	554,481.21	500.00
622	PI	934,754.34	554,525.48	200.00
623	PI	934,935.37	554,481.66	500.00
624	PI	935,052.93	554,484.73	100.00
625	PI	935,133.73	554,508.19	0
626	PI	935,230.07	554,508.13	0

PT #	DESC	NORTHING	EASTING	RADIUS
400	POB	931416.64	554,615.98	1000.00
401	PI	931,446.90	554,608.17	0
402	PI	931,625.39	554,601.07	2000.00
403	PI	931,788.50	554,598.36	2000.00
404	PI	932,013.51	554,614.18	3000.00
405	PI	932,182.49	554,630.44	1000.00
406	PI	932,336.12	554,626.83	400.00
407	PI	932,444.56	554,593.39	150.00
408	PI	932,507.84	554,608.24	0
409	PI	932,604.08	554,608.24	0
410	PI	932,731.91	554,632.09	500.00
411	PI	932,875.65	554,636.42	1000.00
412	PI	933,009.20	554,628.55	500.00
413	PI	933,080.14	554,628.10	400.00
414	PI	933,208.91	554,599.63	350.00
415	PI	933,317.35	554,555.35	200.00
416	PI	933,436.18	554,602.79	500.00
417	PI	933,522.03	554,628.10	200.00
418	PI	933,588.00	554,633.07	400.00
419	PI	933,678.36	554,626.06	200.00
420	PI	933,723.03	554,608.03	0
421	PI	933,949.09	554,608.03	0
422	PI	934,077.24	554,638.05	500.00
423	PI	934,294.30	554,636.42	500.00
424	PI	934,437.98	554,586.81	150.00
425	PI	934,529.70	554,614.37	200.00
426	PI	934,636.33	554,630.64	1000.00
427	PI	934,755.76	554,638.94	400.00
428	PI	934,897.04	554,619.79	350.00
429	PI	934,990.11	554,587.26	200.00
430	PI	935,094.91	554,607.71	200.00
431	PI	935,229.53	554,608.09	0





C# Drawing Sheet Number

60% SUBMITTAL

3			
2			
1			
NO.	REVISION	BY	DATE
 FLOOD CONTROL DISTRICT OF MARICOPA COUNTY ENGINEERING DIVISION			
<b>REEMS ROAD CHANNEL AND BASIN</b>			
<b>FCD PROJECT NO. 470-12-31</b>			
PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING	DESIGNED	JRR	08/05
	DRAWN	FRC	06/05
	CHECKED	MAL	06/05
DRAWING NO. 67	TOP OF BANK GEOMETRIC LAYOUT STA 5+00 TO STA 51+00		SHEET OF 7 40

TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE



C# Drawing Sheet Number

PT #	DESC	NORTHING	EASTING	RADIUS
627	PI	935,316.31	554,487.98	
628	PI	935,425.74	554,473.54	500.00
629	PI	935,560.45	554,471.37	1000.00
630	PI	935,635.21	554,484.37	200.00
631	PI	935,824.10	554,429.47	200.00
632	PI	936,031.77	554,356.88	2000.00
633	PI	936,270.86	554,323.00	1000.00
634	PI	936,419.30	554,332.68	600.00
635	PI	936,668.50	554,391.19	600.00
636	PI	936,851.61	554,459.45	1000.00
637	PI	937,045.20	554,426.58	300.00
638	PI	937,114.00	554,392.64	200.00
639	PI	937,207.18	554,370.24	200.00
640	PI	937,418.28	554,348.28	700.00
641	PI	937,482.21	554,336.29	400.00
642	PI	937,571.05	554,367.35	150.00
643	PI	937,713.71	554,383.25	300.00
644	PI	937,868.65	554,452.23	500.00
645	PI	938,031.90	554,430.56	200.00
646	PI	938,216.81	554,416.47	1500.00
647	PI	938,376.81	554,435.25	1000.00
648	PI	938,474.32	554,436.70	500.00
649	PI	938,606.87	554,410.69	400.00
650	PI	938,790.70	554,419.00	500.00
651	PI	938,875.94	554,457.64	200.00
652	POE	939,094.14	554,547.99	


PT #	DESC	NORTHING	EASTING	RADIUS
433	PI	935,301.59	554,611.52	500.00
434	PI	935,460.61	554,600.08	1500.00
435	PI	935,675.91	554,603.47	1000.00
436	PI	935,819.59	554,582.69	500.00
437	PI	935,919.45	554,556.93	1000.00
438	PI	936,060.42	554,504.97	600.00
439	PI	936,165.69	554,484.64	300.00
440	PI	936,302.60	554,490.06	1000.00
441	PI	935,455.32	554,482.38	400.00
442	PI	936,550.65	554,496.84	200.00
443	PI	936,631.08	554,533.44	1000.00
444	PI	936,791.48	554,594.43	500.00
445	PI	936,901.28	554,609.80	200.00
446	PI	936,992.09	554,600.76	300.00
447	PI	937,115.89	554,555.12	500.00
448	PI	937,231.56	554,480.57	250.00
449	PI	937,375.70	554,463.85	200.00
450	PI	937,458.38	554,462.95	200.00
451	PI	937,626.01	554,566.42	500.00
452	PI	937,818.94	554,604.83	100.00
453	PI	937,953.59	554,607.54	500.00
454	PI	938,067.00	554,579.98	300.00
455	PI	938,135.23	554,576.81	300.00
456	PI	938,236.44	554,584.04	600.00
457	PI	938,403.61	554,574.10	1500.00
458	PI	938,612.36	554,583.14	1200.00
459	PI	938,821.11	554,619.74	1000.00
460	PI	938,875.78	554,627.42	0
461	POE	939,094.14	554,547.99	

TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE

60% SUBMITTAL

3			
2			
1			
NO.	REVISION	BY	DATE
	FLOOD CONTROL DISTRICT OF MARICOPA COUNTY ENGINEERING DIVISION		
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING	DESIGNED	JRR	06/05
	DRAWN	FRC	06/05
	CHECKED	MAL	06/05
DRAWING NO. 68	TOP OF BANK GEOMETRIC LAYOUT STA 51+00 TO POE		SHEET OF 8 40






NO.	NORTHING	EASTING
800	935,197.1693	554,507.1110
801	935,222.1632	553,240.2775
802	935,348.8398	553,245.4103
803	935,847.4647	553,328.6750
804	936,344.9736	553,475.9519
805	936,843.5362	553,686.2482
806	937,337.8280	553,983.4867
807	937,830.8989	554,357.3447
808	937,864.4637	554,388.1986


TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE

60% SUBMITTAL

3			
2			
1			
NO.	REVISION	BY	DATE
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING	DESIGNED	JRR	06/05
	DRAWN	FRC	06/05
	CHECKED	MAL	06/05
DRAWING NO. G9	BASIN RIGHT-OF-WAY LAYOUT		SHEET OF 9 40



TYPICAL SECTION  
NTS



CONCRETE LINED DITCH  
SECTION  
NTS


TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE

60% SUBMITTAL


3			
2			
1			
NO.	REVISION	BY	DATE
FLOOD CONTROL DISTRICT OF MARICOPA COUNTY ENGINEERING DIVISION			
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING	DESIGNED	JRR	06/05
	DRAWN	FRC	06/05
	CHECKED	MAL	06/05
DRAWING NO. G10	TYPICAL SECTION		SHEET OF 10 40

## REEMS ROAD CHANNEL AND BASIN


3			
2			
1			
NO.	REVISION	BY	DATE




**FLOOD CONTROL DISTRICT  
OF MARICOPA COUNTY  
ENGINEERING DIVISION**


**ELLIOT FOUTALL CHANNEL  
FCD PROJECT NO. 4420431**

		BY	DATE
	DESIGNED	JRR	01/05
	DRAWN	FRG	01/05
	CHECKED	MAL	01/05

DRAWING NO. QSD1      QUANTITY SUMMARY SHEET 6 OF 2









60% SUBMITTAL


Sht14-Detail3.dgn 06/23/2005 02:30:20 PM




TYPICAL WING WALL PLAN  
NTS




TYPICAL SECTION 1  
NTS



WALL DRAIN DETAIL TYPICAL 3  
NTS



WING WALL ELEVATION  
WITH 4' HEADWALL  
SCALE: 1'-0" = 10' (H)  
1'-0" = 4' (V)



WING WALL ELEVATION  
WITH 2' HEADWALL  
SCALE: 1'-0" = 10' (H)  
1'-0" = 4' (V)

H	B	C	F	E	W
11'	1'-4"	1'-10"	1'-2"	5'-3"	8'-3"
9'	1'-3"	1'-6"	1'-0"	4'-0"	6'-6"
7'	1'-2"	1'-2"	10"	3'-0"	5'-0"
5'	1'-0"	1'-0"	10"	1'-8"	3'-6"

RETAINING WALL DETAILS  
NTS


NOTE:

- For typical dimensions and reinforcement details refer to Case III Sloping fill of ADOT B-18.30 and B-18.10 for specified wall heights. Actual wall height may vary and depends on top of wall elevations shown. All reinforcing steel shall have 2" clear cover unless otherwise noted.
- Typical wall drains as shown are required.

DETAIL D4


60% SUBMITTAL		
NO.	REVISION	BY DATE
1		
REEMS ROAD CHANNEL AND BASIN		
FCD PROJECT NO. 470-12-31		
PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING	DESIGNED	KVH
	DRAWN	FRC
	CHECKED	JRR
DRAWING NO. D4	PLAN AND DETAIL VIEW	SHEET OF 15 40

TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE




NOTE:  
ALL HANDRAILS TO BE PAINTED PER  
PROJECT SPECIAL PROVISIONS.

PIPE HANDRAIL ELEVATION  
NTS



RETAINING WALL  
ANCHOR CONNECTION  
NTS



TUBE HANDRAIL ELEVATION  
NTS

HANDRAIL DETAILS  
NTS

DETAIL D5




60% SUBMITTAL

3			
2			
1			
NO.	REVISION	BY	DATE
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING	DESIGNED	KVH	06/05
	DRAWN	FRC	06/05
	CHECKED	JRR	06/05
DRAWING NO. D5	FENCE DETAILS		SHEET OF 16 40

TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE




# PLAN NTS



## NOTES

$D_{50} = 18$  INCHES

60% SUBMITTAL



3			
2			
1			
NO.	REVISION	BY	DATE
 <p>FLOOD CONTROL DISTRICT OF MARICOPA COUNTY ENGINEERING DIVISION</p>			
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING	DESIGNED	KVH	06/05
	DRAWN	FRC	06/05
	CHECKED	JRR	06/05
DRAWING NO. 06	GRADE CONTROL STRUCTURE		SHEET OF 17 40

DETAIL **D6**




TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
**602-263-1100**  
BLUE STAKE


### CHANNEL GRADE CONTROL STRUCTURE



SECTION C-C  
NTS




SECTION B-B  
NTS




SECTION A-A  
NTS

TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE


60% SUBMITTAL

3			
2			
1			
NO.	REVISION	BY	DATE
 FLOOD CONTROL DISTRICT OF MARICOPA COUNTY ENGINEERING DIVISION			
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING	DESIGNED	JRR	06/05
	DRAWN	FRC	06/05
	CHECKED	MAL	06/05
DRAWING NO. D6	WEIR DETAIL		SHEET OF 40

DETAIL D6



TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE



REMOVE	
CONSTRUCT	
①	CONSTRUCT CONCRETE BOX CULVERT NO. 1 SEE DRAWING B01 1 EA
②	CONSTRUCT CONCRETE CHANNEL LINING 500 SY
③	INSTALL 60-INCH PIPE 33 LF
④	CONSTRUCT CONCRETE HEADWALL 1 EA

FOR BOX CULVERT  
SEE DRAWING NO. B1  
(NOTE: ONE BARRELL IS FOR FUTURE  
STREET DRAINAGE)

60% SUBMITTAL

3			
2			
1			
NO.	REVISION	BY	DATE


FLOOD CONTROL DISTRICT  
OF MARICOPA COUNTY  
ENGINEERING DIVISION


REEMS ROAD CHANNEL AND BASIN


FCD PROJECT NO. 470-12-31

PRELIMINARY NOT FOR CONSTRUCTION	DESIGNED	JRR	06/05
	DRAWN	FRC	06/05
	CHECKED	MAL	06/05


DRAWING NO. C1	PLAN AND PROFILE SHEET STA 5+00 TO 11+00	SHEET OF 40
-------------------	---	----------------









REMOVE	
CONSTRUCT	
①	CONSTRUCT EARTHEN CHANNEL CY
②	CONSTRUCT 4" ABC MAINTENANCE ROAD 3,811 SY
③	CONSTRUCT CONCRETE GRADE CONTROL STRUCTURE. SEE DETAIL XX 4 EA
④	NATIVE SEED MIX 9,320 SY
⑤	CONSTRUCT CONCRETE BOX CULVERT NO. 3 SEE DRAWING B03 1 LS




SEE DRAWING B3 FOR CONCRETE BOX CULVERT CONSTRUCTION			
SEE DRAWINGS IR1 & IR2 FOR SIPHON CONSTRUCTION			
60% SUBMITTAL			
3			
2			
1			
NO.	REVISION	BY	DATE
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION	DESIGNED	JRR	06/05
	DRAWN	FRC	06/05
	CHECKED	MAL	06/05
DRAWING NO. C4	PLAN AND PROFILE SHEET STA 31+00 TO STA 41+00		SHEET OF 40


























BOX CULVERT NO. 1  
PLAN VIEW  
NTS




TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE

60% SUBMITTAL


3			
2			
1			
NO.	REVISION	BY	DATE
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING	DESIGNED	JRR	06/05
	DRAWN	FRC	06/05
	CHECKED	MAL	06/05
DRAWING NO.			SHEET OF 40



BOX CULVERT NO. 2  
PLAN VIEW  
NTS




60% SUBMITTAL



3							
2							
1							
NO.	REVISION	BY	DATE				
 FLOOD CONTROL DISTRICT OF MARICOPA COUNTY ENGINEERING DIVISION							
				REEMS ROAD CHANNEL AND BASIN			
				FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING		BY	DATE				
	DESIGNED	JRR	06/05				
	DRAWN	FRC	06/05				
	CHECKED	MAL	06/05				
DRAWING NO. B02	BOX CULVERT NO. 2 DETAILS		SHEET OF 31 40				

TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE






BOX CULVERT NO. 3  
PLAN VIEW  
NTS




TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE

60% SUBMITTAL

3			
2			
1			
NO.	REVISION	BY	DATE
FLOOD CONTROL DISTRICT OF MARICOPA COUNTY ENGINEERING DIVISION			
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING	DESIGNED	JRR	06/05
	DRAWN	FRC	06/05
	CHECKED	MAL	06/05
DRAWING NO. B3	BOX CULVERT NO. 3 DETAILS		SHEET OF 40
















BOX CULVERT NO. 4  
PLAN VIEW  
NTS



60% SUBMITTAL



3			
2			
1			
NO.	REVISION	BY	DATE
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION OR RECORDING	DESIGNED	JRR	06/05
	DRAWN	FRC	06/05
	CHECKED	MAL	06/05
DRAWING NO. B04	BOX CULVERT NO. 4 DETAILS		SHEET OF 40

REEMS ROAD CHANNEL AND BASIN		DRAWING NO.
		XS1
DATE	06/05	SHEET OF
		40














STA. 14+00 TO STA. 38+00


REEMS ROAD CHANNEL AND BASIN		DRAWING NO.
		XS2
DATE	06/05	SHEET OF
		40




STA. 42+00 TO STA. 64+00



STA. 66+00 TO STA. 88+61




MATCH LINE STATION 28+17.00



MATCH LINE STATION 38+29.00

MATCH LINE STATION 38+29.00



MATCH LINE STATION 48+42.00

☐ REMOVE ☐

☐ CONSTRUCT ☐

SYM.	ABV.	QTY.
Trees:		
	CF	-
	CM	-
	OT	-
	PJ	-

Notes:

1. Refer to

SYMBOL	MATERIAL	QTY (This sheet)
	HYDROSEEDING**	.. SQ. YDS.


\*\* = See Special Provisions for seed mix.



60% SUBMITTAL

TWO BUSINESS DAYS  
BEFORE YOU DRILL  
602-263-1100  
BLUE STAKE

3			
2			
1			
NO.	REVISION	BY	DATE
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO.470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION	DESIGNED	SH	8/24
	DRAWN	BSM	8/24
	CHECKED	SH	8/24
DRAWING NO. CXX	LANDSCAPE AND SEEDING		SHEET OF



<input type="checkbox"/> REMOVE		
<input type="radio"/> CONSTRUCT		
SYN.	ADV.	QTY.
Trees:		
	CF	-
	CM	-
	OT	-
	PJ	-

Notes:  
1. Refer to

SYMBOL	MATERIAL	QTY (This sh)
	HYDROSEEDING**	SQ. YDS.

\*\* = See Special Provisions for seed mix.

20 0 20 40  
Scale in Feet

60% SUBMITTAL

TWO WEEKS DAYS BEFORE YOU DIG, CALL 602-263-1100 BLUE STAKE

NO.	REVISION	BY	DATE
1			

FLOOD CONTROL DISTRICT OF MARICOPA COUNTY  
ENGINEERING DIVISION


REEMS ROAD CHANNEL AND BASIN

FCD PROJECT NO. 470-12-31

PRELIMINARY NOT FOR CONSTRUCTION	DESIGNED	SH	9/24
	DRAWN	BSM	9/24
	CHECKED	SH	9/24

DRAWING NO. C00X	LANDSCAPE AND SEEDING	SHEET OF
---------------------	-----------------------	----------





☐ REMOVE

☒ CONSTRUCT

SYM.	ADV.	QTY.
<b>Trees:</b>		
	CF	-
	CM	-
	OT	-
	PJ	-

**Notes:**  
1. Refer to

SYMBOL	MATERIAL	QTY (This sh)
	HYDROSEEDING**	SQ. YDS.

\*\* = See Special Provisions for seed mix.

Scale in Feet

N

TWO BUSINESS DAYS  
 BEFORE YOU CAN CALL  
 602-263-1100  
 BLUE STAKE

**60% SUBMITTAL**

3		BY	DATE
2			
1			
NO.	REVISION	BY	DATE



**FLOOD CONTROL DISTRICT  
OF MARICOPA COUNTY  
ENGINEERING DIVISION**

**REEMS ROAD CHANNEL AND BASIN**

**FCD PROJECT NO. 470-12-31**

PRELIMINARY NOT FOR CONSTRUCTION		BY	DATE
	DESIGNED	SH	6/24
	DRAWN	BSM	6/24
	CHECKED	SH	6/24

DRAWING NO. C0X	LANDSCAPE AND SEEDING	SHEET OF ..
--------------------	-----------------------	----------------



☐ REMOVE ☐

☐ CONSTRUCT ☐

SYM.	ABV.	QTY.
Trees:		
	OF	-
	CM	-
	OT	-
	PJ	-

Notes:

1. Refer to

SYMBOL	MATERIAL	QTY (This sheet)
	HYDROSEEDING**	SQ. YDS.

\*\* = See Special Provisions for seed mix.



60% SUBMITTAL

TWO BUSINESS DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE

NO.	REVISION	BY	DATE
1			
2			
3			



FLOOD CONTROL DISTRICT  
OF MARICOPA COUNTY  
ENGINEERING DIVISION


REEMS ROAD CHANNEL AND BASIN

FCD PROJECT NO. 470-12-31

	BY	DATE
DESIGNED	SH	8/24
DRAWN	BSM	8/24
CHECKED	SH	8/24

PRELIMINARY  
NOT FOR  
CONSTRUCTION

DRAWING NO.	LANDSCAPE AND SEEDING	SHEET OF
CXX		



☐ REMOVE ☐

☒ CONSTRUCT ☐

SYM.	ABV.	QTY.
<b>Trees:</b>		
	CF	-
	CM	-
	OT	-
	PJ	-

**Notes:**  
1. Refer to

SYMBOL	MATERIAL	QTY (This sht)
	HYDROSEEDING**	... SQ. YDS.

\*\* = See Special Provisions for seed mix.

Scale In Feet

60% SUBMITTAL

TWO WORKING DAYS  
BEFORE YOU DRILL  
602-263-1100  
BLUE STAKE

NO.	REVISION	BY	DATE
1			

**FLOOD CONTROL DISTRICT  
OF MARICOPA COUNTY  
ENGINEERING DIVISION**

**REEMS ROAD CHANNEL AND BASIN**

**FCD PROJECT NO. 470-12-31**


	BY	DATE
DESIGNED SH		8/24
DRAWN BSM		8/24
CHECKED SH		8/24


PRELIMINARY  
NOT FOR  
CONSTRUCTION

DRAWING NO.  
CSX

LANDSCAPE AND SEEDING

SHEET OF





☐ REMOVE ☐



☐ CONSTRUCT ☐

SYM.	ABV.	QTY.
<b>Trees:</b>		
	CF	-
	CM	-
	OT	-
	PJ	-

**Notes:**  
1. Refer to

SYMBOL	MATERIAL	QTY (This sheet)
	HYDROSEEDING**	SQ. YDS.


\*\* = See Special Provisions for seed mix.






60% SUBMITTAL

TWO WORKING DAYS  
BEFORE YOU ORDER  
602-263-1100  
BLUE STAKE

3			
2			
1			
NO.	REVISION	BY	DATE
<b>REEMS ROAD CHANNEL AND BASIN</b> <b>FCD PROJECT NO. 470-12-31</b>			
PRELIMINARY NOT FOR CONSTRUCTION	DESIGNED	SH	8/24
	DRAWN	BSM	8/24
	CHECKED	SH	8/24
DRAWING NO. CXX	LANDSCAPE AND SEEDING		SHEET OF ..







REMOVE

CONSTRUCT


Tree Planting Not In Contract

SYM.	ABV.	QTY.	
Trees:			
	CF	49	Blue Palo Verde (NIC) (Cercidium floridum)
	CM	-	Foothills Palo Verde (NIC) (Cercidium microphyllum)
	OT	29	Ironwood (NIC) (Olneya tesota)
	PJ	-	Pink Native Mesquite (NIC) (Prosopis juliflora)

Notes:

SYMBOL	MATERIAL	QTY (This sht)
	6" MIN.-8" MAX. SCREENED RIVER ROCK	4,782 SQ. YDS.
	SEED MIX FOR SIDE SLOPES & TOPS OF BASIN/ CHANNEL	23,579 SQ. YDS.

20 0 20 40  
Scale in Feet



60% SUBMITTAL

TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE

3			
2			
1			
NO.	REVISION	BY	DATE
FLOOD CONTROL DISTRICT OF MARICOPA COUNTY ENGINEERING DIVISION			
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION	DESIGNED	SH	6/24
	DRAWN	BSM	6/24
	CHECKED	SH	6/24
DRAWING NO. LP01	LANDSCAPE AND SEEDING		SHEET OF



MATCH LINE STATION 28+17.00

MATCH LINE STATION 38+29.00

MATCH LINE STATION 38+29.00

MATCH LINE STATION 48+42.00

☐ REMOVE ☐☐ CONSTRUCT ☐

Tree Planting Not In Contract

SYM.	ABV.	QTY.	
Trees:			
	CF	59	Blue Palo Verde (NIC) (Cercidium floridum)
	CM	-	Foothills Palo Verde (NIC) (Cercidium microphyllum)
	OT	27	Ironwood (NIC) (Olneya tesota)
	PJ	-	Pink Native Mesquite (NIC) (Prosopis juliflora)

Notes:

SYMBOL	MATERIAL	QTY (This sht)
	6" MIN.-8" MAX. SCREENED RIVER ROCK	6,310 SQ. YDS.
	SEED MIX FOR SIDE SLOPES & TOPS OF BASIN/ CHANNEL	29,253 SQ. YDS.

20 0 20 40  
Scale in Feet



60% SUBMITTAL

TWO WORKING DAYS  
BEFORE YOU DIS. CALL  
602-263-1100  
BLUE STAKE

NO.	REVISION	BY	DATE
3			
2			
1			


FLOOD CONTROL DISTRICT  
OF MARICOPA COUNTY  
ENGINEERING DIVISION

REEMS ROAD CHANNEL AND BASIN


FCD PROJECT NO.470-12-31

PRELIMINARY NOT FOR CONSTRUCTION	BY		DATE
	DESIGNED	SH	6/24
	DRAWN	BSM	6/24
	CHECKED	SH	6/24

DRAWING NO.	LANDSCAPE AND SEEDING	SHEET OF
LP02		-



<input type="checkbox"/> REMOVE <input type="checkbox"/>		
<input type="checkbox"/> CONSTRUCT <input type="checkbox"/>		
Tree Planting Not In Contract		
SYM.	ABV.	QTY.
Trees:		
	CF	55
	CM	7
	OT	40
	PJ	23
		Blue Palo Verde (NIC) (Cercidium floridum)
		Foothills Palo Verde (NIC) (Cercidium microphyllum)
		Ironwood (NIC) (Olneya tesota)
		Pink Native Mesquite (NIC) (Prosopis juliflora)
Notes:		
SYMBOL	MATERIAL	QTY (This sht)
	6" MIN.-8" MAX. SCREENED RIVER ROCK	8,887 SQ. YDS.
	SEED MIX FOR SIDE SLOPES & TOPS OF BASIN/ CHANNEL	47,540 SQ. YDS.
20 0 20 40 Scale in Feet		
60% SUBMITTAL		
TWO WORKING DAYS BEFORE YOU DIG, CALL 602-263-1100 BLUE STAKE		
3		
2		
1		
NO.	REVISION	BY DATE
FLOOD CONTROL DISTRICT OF MARICOPA COUNTY ENGINEERING DIVISION		
REEMS ROAD CHANNEL AND BASIN		
FCD PROJECT NO.470-12-31		
PRELIMINARY NOT FOR CONSTRUCTION	DESIGNED	SH
	DRAWN	BSM
	CHECKED	SH
DRAWING NO.	LANDSCAPE AND SEEDING	SHEET OF
LP03		



☐ REMOVE

☐ CONSTRUCT

Tree Planting Not In Contract

SYM.	ABV.	QTY.	
	CF	73	Blue Palo Verde (NIC) (Cercidium floridum)
	CM	-	Foothills Palo Verde (NIC) (Cercidium microphyllum)
	OT	35	Ironwood (NIC) (Olneya tesota)
	PJ	36	Pink Native Mesquite (NIC) (Prosopis juliflora)

Notes:

SYMBOL	MATERIAL	QTY (This sht)
	6" MIN.-8" MAX. SCREENED RIVER ROCK	8,290 SQ. YDS.
	SEED MIX FOR SIDE SLOPES & TOPS OF BASIN/ CHANNEL	49,987 SQ. YDS.

20 0 20 40  
Scale in Feet

TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE

60% SUBMITTAL

NO.	REVISION	BY	DATE
3			
2			
1			

FLOOD CONTROL DISTRICT  
OF MARICOPA COUNTY  
ENGINEERING DIVISION

REEMS ROAD CHANNEL AND BASIN


FCD PROJECT NO. 470-12-31

PRELIMINARY NOT FOR CONSTRUCTION	BY		DATE
	DESIGNED	SH	6/24
	DRAWN	BSM	6/24
	CHECKED	SH	6/24

DRAWING NO.	LANDSCAPE AND SEEDING	SHEET OF
LP04		-

...\\Landscape\\Landscape\\LP04.dgn 1/24/2006 1:57:02 PM





MATCH LINE SEE SHEET LP08

MATCH LINE SEE SHEET LP03

MATCH LINE SEE SHEET LP06

☐ REMOVE ☐

☐ CONSTRUCT ☐

Tree Planting Not In Contract

SYM.	ABV.	QTY.
Trees:		
	CF	38
	CM	30
	OT	45
	PJ	125

Blue Palo Verde (NIC)  
(Cercidium floridum)

Foothills Palo Verde (NIC)  
(Cercidium microphyllum)

Ironwood (NIC)  
(Olneya tesota)

Pink Native Mesquite (NIC)  
(Prosopis juliflora)

Notes:

SYMBOL	MATERIAL	QTY (This sht)
	SEED MIX FOR BASIN/CHANNEL BOTTOMS	19,025 SQ. YDS.
	SEED MIX FOR SIDE SLOPES & TOPS OF BASIN/ CHANNEL	63,322 SQ. YDS.

20 0 20 40  
Scale in Feet



60% SUBMITTAL

TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE

3			
2			
1			
NO.	REVISION	BY	DATE




FLOOD CONTROL DISTRICT  
OF MARICOPA COUNTY  
ENGINEERING DIVISION

REEMS ROAD CHANNEL AND BASIN

FCD PROJECT NO. 470-12-31

PRELIMINARY NOT FOR CONSTRUCTION	DESIGNED	SH	DATE
	DRAWN	BSM	6/24
	CHECKED	SH	6/24

DRAWING NO. LP05	LANDSCAPE AND SEEDING	SHEET OF
---------------------	-----------------------	----------



☐ REMOVE ☐



☐ CONSTRUCT ☐

Tree Planting Not In Contract

SYM.	ABV.	QTY.	
Trees:			
	CF	85	Blue Palo Verde (NIC) (Cercidium floridum)
	CM	53	Foothills Palo Verde (NIC) (Cercidium microphyllum)
	OT	40	Ironwood (NIC) (Olneya tesota)
	PJ	59	Pink Native Mesquite (NIC) (Prosopis juliflora)

Notes:


SYMBOL	MATERIAL	QTY (This sht)
	SEED MIX FOR BASIN/CHANNEL BOTTOMS	22,556 SQ. YDS.
	SEED MIX FOR SIDE SLOPES & TOPS OF BASIN/ CHANNEL	53,927 SQ. YDS.



60% SUBMITTAL

TWO WORKING DAYS  
BEFORE YOU DIG. CALL  
602-263-1100  
BLUE STAKE

3			
2			
1			
NO.	REVISION	BY	DATE
FLOOD CONTROL DISTRICT OF MARICOPA COUNTY ENGINEERING DIVISION			
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION	DESIGNED	SH	6/24
	DRAWN	BSM	6/24
	CHECKED	SH	6/24
DRAWING NO. LP06	LANDSCAPE AND SEEDING		SHEET OF



☐ REMOVE ☐

☐ CONSTRUCT ☐


Tree Planting Not In Contract

SYM.	ABV.	QTY.	
Trees:			
	CF	24	Blue Palo Verde (NIC) (Cercidium floridum)
	CM	4	Foothills Palo Verde (NIC) (Cercidium microphyllum)
	OT	1	Ironwood (NIC) (Olneya tesota)
	PJ	32	Pink Native Mesquite (NIC) (Prosopis juliflora)

Notes:

SYMBOL	MATERIAL	QTY (This sht)
	SEED MIX FOR BASIN/CHANNEL BOTTOMS	4,836 SQ. YDS.
	SEED MIX FOR SIDE SLOPES & TOPS OF BASIN/ CHANNEL	13,647 SQ. YDS.

20 0 20 40  
Scale in Feet



60% SUBMITTAL

TWO WORKING DAYS  
BEFORE YOU DIG-CALL  
602-263-1100  
BLUE STAKE

NO.	REVISION	BY	DATE
3			
2			
1			


FLOOD CONTROL DISTRICT  
OF MARICOPA COUNTY  
ENGINEERING DIVISION  
REEMS ROAD CHANNEL AND BASIN

FCD PROJECT NO. 470-12-31

	BY	DATE
DESIGNED SH		6/24
DRAWN BSM		6/24
CHECKED SH		6/24

PRELIMINARY NOT FOR CONSTRUCTION		
DRAWING NO. LP07	LANDSCAPE AND SEEDING	SHEET OF





☐ REMOVE

☐ CONSTRUCT

Tree Planting Not In Contract

SYM.	ABV.	QTY.	
	CF	55	Blue Palo Verde (NIC) (Cercidium floridum)
	CM	38	Foothills Palo Verde (NIC) (Cercidium microphyllum)
	OT	27	Ironwood (NIC) (Olneya tesota)
	PJ	24	Pink Native Mesquite (NIC) (Prosopis juliflora)

Notes:

SYMBOL	MATERIAL	QTY (This sht)
	SEED MIX FOR BASIN/CHANNEL BOTTOMS	6,030 SQ. YDS.
	SEED MIX FOR SIDE SLOPES & TOPS OF BASIN/ CHANNEL	27,138 SQ. YDS.

20 0 20 40  
Scale in Feet

60% SUBMITTAL

TWO WORKING DAYS  
BEFORE YOU DIG, CALL  
602-263-1100  
BLUE STAKE

NO.	REVISION	BY	DATE
3			
2			
1			

**FLOOD CONTROL DISTRICT  
OF MARICOPA COUNTY  
ENGINEERING DIVISION**



**REEMS ROAD CHANNEL AND BASIN**

**FCD PROJECT NO. 470-12-31**

	BY	DATE
DESIGNED	SH	6/24
DRAWN	BSM	6/24
CHECKED	SH	6/24

PRELIMINARY  
NOT FOR  
CONSTRUCTION

DRAWING NO.	LANDSCAPE AND SEEDING	SHEET OF
LP08		



☐ REMOVE ☐

☐ CONSTRUCT ☐

100 0 100 200  
Scale in Feet





60% SUBMITTAL

TWO WORKING DAYS  
BEFORE YOU DIG-CALL  
602-263-1100  
BLUE STAKE

3			
2			
1			
NO.	REVISION	BY	DATE
FLOOD CONTROL DISTRICT OF MARICOPA COUNTY ENGINEERING DIVISION			
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION	DESIGNED	SH	6/24
	DRAWN	BSM	6/24
	CHECKED	SH	6/24
DRAWING NO. XX01	LANDSCAPE AND SEEDING		SHEET OF







☐ REMOVE ☐

☒ CONSTRUCT ☐

60% SUBMITTAL

TWO WORKING DAYS  
BEFORE YOU DIG- CALL  
602-263-1100  
BLUE STAKE

3			
2			
1			
NO.	REVISION	BY	DATE
FLOOD CONTROL DISTRICT OF MARICOPA COUNTY ENGINEERING DIVISION			
REEMS ROAD CHANNEL AND BASIN			
FCD PROJECT NO. 470-12-31			
PRELIMINARY NOT FOR CONSTRUCTION	DESIGNED	SH	6/24
	DRAWN	BSM	6/24
	CHECKED	SH	6/24
DRAWING NO. XX01	LANDSCAPE AND SEEDING		SHEET OF

# REEMS ROAD PROJECT

